

Study on the Magnetic Nonlinear Mixing Frequency Technique and Its Application in Mechanical Properties Assessment

Yu Chang^{1,2}, Jingpin Jiao¹, Satoru Kobayashi², Cunfu He¹, Bin Wu¹

¹College of Mechanical Engineering and Applied Electronics Technology, Beijing University of Technology, Beijing, China

²Department of Physical Science and Materials Engineering, Faculty of Science and Engineering, Iwate University, Iwate, Japan

Assessment of the mechanical properties is of high importance, both for safety and economical in the modern industrial. The majority of conventional non-destructive evaluation techniques are insensitive to the degradation in the microstructure of the metal. However, it is well known that the nonlinearity of magnetic hysteresis in ferromagnetic materials is completely depended on the material microstructure [1] and the mixing frequency method can precisely measure the nonlinear effect [2]. We investigate a new micromagnetic method that exploits the magnetic mixing frequency technique to induce the magnetic nonlinearity. Figure 1 shows a typical example of mixed B-H loop with a set of minor loops superposing on the saturation loop. Then, the minor loss coefficient and the magnetic nonlinear factor are used to characterize the mechanical properties of materials. An experiment result of case harden which assessed by the magnetic nonlinear factor is shown in Figure 2. Also, the magnetic nonlinear mixing frequency method was used to evaluate the fatigue damage of the steel. Compared to the traditional non-destructive evaluation methods, the studied method has an advantage in assessing the subtle changes in microstructural mechanical properties. It has the potential to be used as a non-destructive technique.




Fig1. Hysteresis loop of mixing frequency excitation Fig 2. Hardness dependencies of the magnetic nonlinear factors

Reference

- 1) Jiles, David C, and Y. Melikhov. "Modelling of Nonlinear Behaviour and Hysteresis in Magnetic Materials," Handbook of Magnetism and Advanced Magnetic Materials. John Wiley & Sons, Ltd, pp.71-81. 2007.
- 2) Ficko, B. W., P. Giacometti, and S. G. Diamond. "Nonlinear Susceptibility Magnitude Imaging of Magnetic Nanoparticles," Journal of Magnetism & Magnetic Materials, vol. 378, pp. 267-277. 2015.